



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier:**
 - **Trade name:** *Electrum Eco Stencils*
 - **REACH Registration number:** Not relevant
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:** Skin Marking Dye
- **Product category:** Violet Ink
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
One Ink Seven, LLC
24266 County Road 45
Elkhart, Indiana 46516
Phone: 574-975-3632
<http://electrumsupply.com>
- **1.4 Emergency telephone number:** +1-574-304-3992

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS08

- **Signal word:** Warning
- **Hazard-determining components of labelling:**
Methyl Violet
- **Hazard statements:**
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary Statements:**
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 1)

P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	If exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

Contains 13 % of components with unknown hazards to the aquatic environment.

· **2.3 Other hazards:** None known

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.1 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 RTECS: NT 8050000	Isopropyl alcohol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	2-12%
CAS: 8004-87-3	Methyl Violet ⚠ Carc. 2, H351; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

(Contd. on page 3)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information is available.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear to prevent contact with skin and eyes.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated materials as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

WEL Long-term value: 10 mg/m³

(Contd. on page 4)

Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 3)

67-63-0 Isopropyl alcohol

WEL	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm
-----	--

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Safety glasses

- **8.2.3 Environmental exposure controls:**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - **Form:** Liquid
 - **Colour:** Violet
 - **Odour:** Alcohol-like
 - **pH-value:** Not applicable.
- **Change in condition**
 - **Melting point/freezing point:** Not determined.

(Contd. on page 5)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 4)

- Initial boiling point and boiling range:** Not determined.
- **Flash point:** Not applicable.
 - **Flammability (solid, gas):** Not applicable.
 - **Ignition temperature:** ≥ 400 °C
 - **Decomposition temperature:** Not determined.
 - **Auto-ignition temperature:** Product is not self-igniting.
 - **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
 - **Explosion limits:**
 - Lower:** ≥ 2 Vol %
 - Upper:** ≤ 12 Vol %
 - **Vapour pressure @ 20 °C:** ≤ 23 hPa
 - **Density @ 20 °C:** 1.0207 g/cm³
 - **Relative density:** Not determined.
 - **Vapour density:** Not determined.
 - **Evaporation rate:** Not determined.
 - **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
 - **Partition coefficient: n-octanol/water:** Not determined.
 - **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
 - **Solvent content:**
 - Organic solvents:** 19.0 %
 - Water:** 79.0 %
 - VOC content:** 6.00 %
 - Solids content:** 0.0 %
 - **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Harmful if inhaled.

(Contd. on page 6)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 5)

· LD/LC50 values relevant for classification:		
67-63-0 Isopropyl alcohol		
Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)
8004-87-3 Methyl Violet		
Oral	LD50	413 mg/kg (Rat)
Inhalative	LC50/96 hours	0.47 mg/l (Fathead Minnow)
	LC50/48 hrs	420 mg/l (Water flea)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Sensitisation:** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (Specific target organ toxicity)-single exposure**
Based on available data, the classification criteria are not met.
- **STOT (Specific target organ toxicity)-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

67-63-0 Isopropyl alcohol	
EC50	6,851 mg/l (Green algae)
	5,102 mg/l (Water flea)

- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Harmful to aquatic organisms
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: **Electrum Eco Stencils**

(Contd. of page 6)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **14.2 UN proper shipping name**
- **ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **14.3 Transport hazard class(es)**
- **ADR/ADN, ADN, IMDG, IATA**
- **Class** Non-Regulated Material
- **14.4 Packing group**
- **ADR/ADN, IMDG, IATA** Non-Regulated Material
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **Stowage Category** B
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Directive 2012/18/EU** Substance is not listed.
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Substance is not listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)



Safety data sheet

REACH: Regulation (EC) No 1907/2006 (in particular as amended by Regulation (EU) No. 2015/830 with respect to SDSs) & CLP: Regulation (EC) No 1272/2008

Printing date 25.09.2019

Version number 6

Revision: 25.09.2019

Trade name: Electrum Eco Stencils

(Contd. of page 7)

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106